

Inhaltsverzeichnis

Entfernen einer Subversion Arbeitskopie aus einem Verzeichnisbaum 3

Entfernen einer Subversion Arbeitskopie aus einem Verzeichnisbaum

Wer mal vor der seltsamen Aufgabe steht, aus einem Mix aus „normalem“ Verzeichnisbaum mit überlagerter Subversion- Arbeitskopie zielgerichtet nur die Daten der Arbeitskopie rauszulöschen, kann das mit folgendem Script:

[deleteSVNcontent.sh](#)

```
#step 1: create a list of the svn content with svn -R list > filelist

#step 2 extract the file names aout of that list, supress directories
echo $1
grep -v "/"$" $1 > temp_filelist.txt
if [[ -s temp_filelist.txt ]] ; then
  echo "start the work..."
  # delete all files
  while read file; do echo "$file" ; rm "$file"; done <
temp_filelist.txt
  # delete all old .svn folders
  # first rescue the root .svn directory
  mv .svn svn-root
  find . -name ".svn" -exec rm -rf {} \;
  # delete these silly thumbs.db
  find . -name "Thumbs.db" -exec rm -rf {} \;
  # restore root svn
  mv svn-root .svn
  # finally remove all empty directories
  find . -empty -type d -delete

else
echo "no valid input file found"
fi ;
```

From:

<http://koehlers.de/wiki/> - **Steffen Köhlers Online- Bastelbuch**

Permanent link:

<http://koehlers.de/wiki/doku.php?id=pc:svnremovec>

Last update: **2012/10/12 12:03**

